



AVS Blue LED Strip

Petron · Edge Lighting Strip

AVS-F12T1350B66D-AL

AVS Display Sdn. Bhd.

Edge Lighting (Petron)

General / Technical Specifications

Manufacturer	AVS Display Sdn. Bhd.
Item Code	AVS-F12T1350B66D-AL
Application	Edge Lighting (Petron)
Package	1350 mm/PCS
LED Type	Osram Chip LED
LED Diode	2835 LEDs
Power/LED	0.5 W
CRI	> 80 Ra
Color Temperature	460~470 nm
Beam Angle	120°
Working Voltage	12 VDC
Lumens	300~330 LM
LED Qty	66 LEDs/M
Lighting Method	PC Cover
Drive Mode	Constant Voltage
Power/PCS	14 W/PCS
Current	1100 mA/PCS



AVS Blue LED Strip

Petron · Edge Lighting Strip

AVS-F12T1350B66D-AL

AVS Display Sdn. Bhd.
Edge Lighting (Petron)

Mechanical & Build

Material	Silicone + Aluminum Profile
Sizes	W17 x H9.1 mm
Shell Color	Silver
End Caps	Aluminum/Plastic
IP Grade	IP65
Cable Length	200 mm
PCB Board	35 oz copper
PCB Width	16 mm
Working/Storage Temp	-20°C ~ 65°C
Installation	Surface mounted / Screw
Adhesive	Blue double-sided tape
Weight	0.2 kg /PCS
Warranty	3 Years



AVS Blue LED Strip

Petron · Edge Lighting Strip

AVS-F12T1350B66D-AL

AVS Display Sdn. Bhd.

Edge Lighting (Petron)

Product Photo



Blue edge lighting strip, 460~470 nm, in a 1350 mm package.

Runs are made up from 1350 mm pieces. There is no minimum order quantity — tell us the run length and we will come back with the piece count and the driver it needs.